

Admin settings

- [Office365: How to get TenantId, ClientId and ClientSecret?](#)
- [How to change APPLICATION Callback URL in Azure Portal?](#)

Office365: How to get TenantId, ClientId and ClientSecret?

If you use Microsoft office 365 for email sending. Your company Microsoft admin need to get following settings from **Azure AD Application**

- **Directory (Tenant) ID**
- **Application (Client) ID**
- **Client Secret Value**

These three values are required for integrating CLOUDEX TMS with Microsoft Graph using OAuth2.

1☐ Sign in to Azure Portal

Open: <https://portal.azure.com> Sign in with a Microsoft 365 **Global Admin** or **Application Administrator** account.

2☐ Open “Microsoft Entra ID” (Azure AD)

Left menu → **Microsoft Entra ID**
(or search “Entra ID” in the top search bar)

The screenshot shows the Microsoft Entra ID Overview page. The 'Tenant ID' is highlighted with a red box. The page includes a left-hand navigation menu with options like Overview, Preview features, and Diagnose and solve problems. The main content area displays basic information about the tenant, including its name, primary domain, and license.

Basic information	
Name	clouDEX.app
Tenant ID	a310ed38-6b87-4864-803b-ae7fb1503ca1
Primary domain	NETORGFT17859091.onmicrosoft.com
License	Microsoft Entra ID Free

3 Create a new App Registration

1. Left menu: **App registrations**
2. Click **New registration**

The screenshot shows the Microsoft Azure portal with the 'Add' button highlighted by a red box. The dropdown menu is open, showing options like User, Group, Enterprise application, and App registration. The 'App registration' option is highlighted with a red box and a mouse cursor.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > clouDEX.app | Overview >

Register an application

* Name

The user-facing display name for this application (this can be changed later).

CLOUDEX TMS

Supported account types

Who can use this application or access this API?

☐ Accounts in this organizational directory only (clouDEX.app only - Single tenant)

☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)

☐ Personal Microsoft accounts only

[Help me choose...](#)

Redirect URI (optional)

We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.

Web

https://my.clouDEX.app/YourCompanyCode/Services/Office365Callb...

Register an app you're working on here. Integrate gallery apps and other apps from outside your organization by adding from [Enterprise applications](#)

URL type must be "Web" NOT "Single page application"

Looks like beter to register as Single tenant. If you register as multi tenant then can be so than you need to enter CLOUDEX MpnId 7086574

Fill the form:

Field	Value
Name	CLOUDEX TMS Email Integration (or any name)
Supported account types	✓ Accounts in any organizational directory (multitenant)
Redirect URI	Select Web → Enter your redirect: https://my.clouDEX.app/YourCompanyCode/Services/Office365Callback.aspx 1) Replace YourCompanyCode with your web app CompanyCode 2) Redirect URL is case-sensitive


Click **Register**.

4 Get the Tenant ID and Client ID

After creation, you will be redirected to the app's **Overview** page.

Here you will see:

- ✓ **Directory (Tenant) ID**
- ✓ **Application (Client) ID**



Copy them and save.

You already have **2/3 values**.

5 Create Client Secret

Side menu → **Certificates & secrets**

1. Click **New client secret**
2. Enter a name:
3. Choose expiration:
 - 6 months (not recommended)
 - 12 months
 - **24 months** (recommended)
 - Or "Custom"
4. Click **Add**

Add a client secret

Description

CLOUDEX TMS

Expires

730 days (24 months)

Add

Cancel

A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.

+ New client secret

Description	Expires	Value ⓘ	Secret ID
CLOUDEX TMS Secret	5/30/2026	fw_*****	56b30de6-e8a1-4945-9448-7675ea2d02...  
CLOUDEX TMS	12/1/2027	0c6dd0eb-*****7ee13 	rb8*****u...  

IMPORTANT ⚠

Copy the Client Secret VALUE immediately.

You will never be able to see it again later.

Store it securely (Azure Key Vault, password manager, etc).

Now you have:

- **ClientId**
- **TenantId**
- **ClientSecret Value**

6. Add Required API Permissions

Side menu → **API permissions**

Click:

- **Add a permission**
- **Microsoft Graph**
- **Delegated permissions**

Search + select:

- ✓ Mail.ReadWrite
- ✓ Mail.Send
- ✓ Mail.SendShared
- ✓ offline_access
- ✓ User.Read

!!! If email sending does not work, then add also following permissions

- ✓ email
- ✓ openid
- ✓ profile

Then click **Add permissions.**

Then click **Grant admin consent.**

Microsoft Azure

Search resources, services, and docs (G+/J)

Copilot

info@cloudex.app
CLOUDEX APP (NETORGFTT7859...)

Home > cloudex.app | App registrations > CLOUDEX TMS

CLOUDEX TMS | API permissions

Search Refresh Got feedback?

Overview
Quickstart
Integration assistant
Diagnose and solve problems
Manage
Branding & properties
Authentication (Preview)
Certificates & secrets
Token configuration
API permissions
Expose an API
App roles
Owners
Roles and administrators
Manifest
Support + Troubleshooting

Granting tenant-wide consent may revoke permissions affected. [Learn more](#)

The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)

Configured permissions

Applications are authorized to call APIs when they have all the permissions the application needs. [Learn more](#)

2 + Add a permission ✓ Grant admin consent

API / Permissions name	Type
Microsoft Graph (5)	
Mail.ReadWrite	Delegated
Mail.Send	Delegated
Mail.Send.Shared	Delegated
offline_access	Delegated
User.Read	Delegated

Other permissions granted for cloudex.app

These permissions have been granted for cloudex.app. [Learn more](#)

Request API permissions

< All APIs

Microsoft Graph
<https://graph.microsoft.com/> Docs

What type of permissions does your application require?

Delegated permissions
Your application needs to access the API as the signed-in user.

Application permissions
Your application runs as a background service or daemon without a signed-in user.

Select permissions [expand all](#)

3 Mail.ReadWrite

The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)

Permission	Admin consent required
Mail (2)	
☒ Mail.ReadWrite Read and write access to user mail	No

4

5 Add permissions Discard

Can be in new interface need to choose Microsoft Graph API

Request API permissions

Select an API

Microsoft APIs APIs my organization uses My APIs

Commonly used Microsoft APIs



Microsoft Graph
Take advantage of the tremendous amount of data in Office 365, Enterprise Mobility + Security, and Windows 10. Access Microsoft Entra ID, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner, and more through a single endpoint.



Azure Rights Management Services
Allow validated users to read and write protected content



Azure Service Management
Programmatic access to much of the functionality available through the Azure portal



Dynamics CRM
Access the capabilities of CRM business software and ERP systems

7 Final Check: Authentication Settings

Side menu → **Authentication**

Ensure:

- ✓ Your redirect URI is correct
- ✓ “Allow public client flows” is **OFF**
- ✓ “Access tokens” and “ID tokens” are **ON**

The screenshot shows the Microsoft Azure portal interface for configuring an application's authentication. The left sidebar contains a navigation menu with options like Overview, Quickstart, Integration assistant, and Authentication (which is highlighted). The main content area is titled 'Platform configurations' and includes sections for 'Web Redirect URIs', 'Implicit grant and hybrid flows', 'Supported account types', and 'Advanced settings'. In the 'Web Redirect URIs' section, a URI is listed and highlighted with a red box. In the 'Implicit grant and hybrid flows' section, two checkboxes are selected and highlighted with a red box. In the 'Advanced settings' section, the 'Allow public client flows' toggle is set to 'No' and highlighted with a red box. At the bottom, there are 'Save' and 'Discard' buttons.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

info@clouDEX.app
CLOUDEX.APP (NETORGFT17859...

Home > App registrations > CLOUDEX TMS

CLOUDEX TMS | Authentication

Search

Got feedback?

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Support + Troubleshooting

Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

+ Add a platform

Web

Quickstart Docs

Redirect URIs

The URIs we will accept as destinations when returning authentication responses (tokens) after successfully authenticating or signing out users. The redirect URI you send in the request to the login server should match one listed here. Also referred to as reply URLs. [Learn more about Redirect URIs and their restrictions](#)

This app has implicit grant settings enabled. If you are using any of these URIs in a SPA with MSAL.js 2.0, you should migrate URIs. →

<https://my2.clouDEX.eu/dev/Services/Office365Callback.aspx>

Add URI

Implicit grant and hybrid flows

Request a token directly from the authorization endpoint. If the application has a single-page architecture (SPA) and doesn't use the authorization code flow, or if it invokes a web API via JavaScript, select both access tokens and ID tokens. For ASP.NET Core web apps and other web apps that use hybrid authentication, select only ID tokens. [Learn more about tokens](#)

Select the tokens you would like to be issued by the authorization endpoint:

☒ Access tokens (used for implicit flows)

☒ ID tokens (used for implicit and hybrid flows)

Supported account types

Who can use this application or access this API?

☐ Accounts in this organizational directory only (clouDEX.app only - Single tenant)

☒ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

[Help me decide...](#)

Advanced settings

Allow public client flows ⓘ

Enable the following mobile and desktop flows:

Yes No

- App collects plaintext password (Resource Owner Password Credential Flow) [Learn more](#)
- No keyboard (Device Code Flow) [Learn more](#)
- SSO for domain-joined Windows (Windows Integrated Auth Flow) [Learn more](#)

App instance property lock ⓘ

Configure the application instance modification lock. [Learn more](#)

Configure

Save Discard

☑ DONE — Values ready to use

You now have everything:

Parameter	Where to find it
TenantId	App → Overview → Directory (tenant) ID
ClientId	App → Overview → Application (client) ID
ClientSecret	App → Certificates & Secrets → Value

Problem solution

In case you have any problems sending out emails from CLOUDEX TMS or Ozols you can run **"Diagnose and solve problems"** tool

The screenshot shows the Microsoft Azure portal interface. The breadcrumb navigation is: Home > Tempusline SIA | App registrations > CLOUDEX TMS. The page title is 'CLOUDEX TMS | Diagnose and solve problems'. The left sidebar contains a search bar and a list of options: Overview, Quickstart, Integration assistant, and 'Diagnose and solve problems' (which is highlighted). Below this are 'Manage' and 'Support + Troubleshooting' links. The main content area is titled 'Sign-in Diagnostic: Review Sign-ins'. It has two tabs: 'Flagged Sign-In Events' and 'All Sign-In Events'. Under 'Flagged Sign-In Events', there is an 'Authentication summary' section. Below this is a table with the following data:

	createdDateTime	userDisplayName	userPrincipalName	appDisplayName	status	errorCode	flaggedForReview
✓	2026-01-20T10:11:00Z	Jekaterina PavkStello	doc-@tempusline.lv	CLOUDEX TMS	Failure	900971	false

Below the table, there is a progress bar and the text 'Running diagnosis ...'. Below the progress bar, it says 'Please wait while we scan multiple data sources...'. At the bottom of the progress bar area is a 'Cancel' button.

How to change APPLICATION Callback URL in Azure Portal?

1 Open Azure Portal

Go to: <https://portal.azure.com>

Sign in using a **Global Administrator** or **Application Administrator** account.

2 Open *Microsoft Entra ID*

- 1) In the left menu, click: **Microsoft Entra ID** or **Search for App registrations**
- 2) Open All Applications
- 3) Open CLOUDEX TMS application

The screenshot shows the Azure Portal interface. At the top, the 'App registrations' link is highlighted with a red box and a red circle labeled '1'. Below the navigation bar, the 'App registrations' page is displayed. A red box and a red circle labeled '2' highlight the 'All applications' tab. Below the tabs, a search bar is present. A table lists the applications, with the first application, 'CLOUDEX TMS', highlighted by a red box and a red circle labeled '3'. The table columns are 'Display name', 'Application (client) ID', 'Created on', and 'Certificates & secrets'. The 'CLOUDEX TMS' application has a client ID of '8d6203...' and was created on '12/1/2025'.

Display name	Application (client) ID	Created on	Certificates & secrets
CLOUDEX TMS	8d6203...	12/1/2025	Current

Choose Redirect URLs

Microsoft Azure App registrations Copilot

Home > **CLOUDEX TMS**

Search Delete Endpoints Preview features

Overview

- Quickstart
- Integration assistant
- Diagnose and solve problems
- > Manage
- > Support + Troubleshooting

Essentials

Display name
[CLOUDEX TMS](#)

Application (client) ID
8d62039b-3c3c-48b2-9d2e-b6462ac8ed37

Object ID
6711dad-c955-41a8-b137-d194384a10e2

Directory (tenant) ID
a310ed38-6b87-4864-803b-ae7fb1503ca1

Supported account types
[Multiple organizations](#)

Client credentials
[0 certificate, 1 secret](#)

Redirect URIs
[1 web, 0 spa, 0 public client](#)

Application ID URI
[Add an Application ID URI](#)

Managed application in local directory
[CLOUDEX TMS](#)

Press edit button and set correct URL

!!!! In YourCompanyCode you should place your company code
<https://my.cloudex.app/YourCompanyCode/Services/Office365Callback.aspx>

Redirect URI configuration Settings

A redirect URI, or reply URL, is the location where the Entra authorization server sends the user and delivers tokens once the user has successfully signed in or signed out. [Learn more about what is a redirect URI](#)

+ Add Redirect URI Delete

i If you want to view or change implicit grant and hybrid flows settings or front-channel logout URL, please visit the settings tab.

⚠ This app has implicit grant settings enabled. If you are using any of these URIs in a SPA with MSAL.js 2.0, you should migrate URIs. →

Start typing a reply url to filter these results	Platform Type : All
Platform Type ↑↓	Redirect URI ↑↓
☐ Web	Edit ...
☐ Web	https://my.cloudex.app/YourCompanyCode/Services/Office365Callback.aspx

Redirect URL should be under Web NOT under Single-application